Klarstig

Independent Museum - Equipment Substitution Request

Record why a different piece of equipment is proposed and what compatibility must be checked. Setting: Independent Museum.

Contact and reference

Name or team reference *

Reply email, if needed

Date of record *

Equipment Substitution Request

Original equipment and proposed substitute *

Reason the original equipment cannot be used *

Required capacity, fittings or output characteristics *

Trial or inspection needed before use

Independent Museum

Gallery, display case or visitor session reference *

Display material or internal object reference *

Object handling, label positioning or gallery flow constraints

Ownership and follow-up

Team or role responsible for the next action

Target follow-up date

Current state of this record *

- ☐ Open for review
- ☐ Waiting for information
- ☐ Next action agreed
- ☐ Completed and checked

Next action and completion evidence

Limitations and what needs setup

- Submitting the form records the answers in your workspace. It does not approve, schedule, charge or reply on its own unless you add that step to the workflow.
- Email notifications, approval routing, document generation and connections to other systems are available but not switched on until you configure them.

Want help tailoring this form? Free, Starter and Pro include five personal setup sessions, up to 30 minutes each, per new organization.

Klarstig / Daniel Petry · klarstig.ai · hello@klarstig.ai · support@klarstig.ai · 800-781-1775 · 11917 Laurel Ave., Forestville, CA 95436, USA