Klarstig

Pottery Studio - Reopening Readiness Review

Verify that closure-related tasks have been resolved before resuming normal service. Setting: Pottery Studio.

Contact and reference

Name or team reference *

Reply email, if needed

Date of record *

Reopening Readiness Review

Closure reference and planned reopening session *

Restoration tasks completed and evidence checked *

Limitations that remain on resumed service *

Who must receive the reopening update

Pottery Studio

Studio session and shelf or kiln-load reference *

Clay body, glaze group or piece reference *

Drying stage, firing schedule or collection-label needs

Ownership and follow-up

Team or role responsible for the next action

Target follow-up date

Current state of this record *

- ☐ Open for review
- ☐ Waiting for information
- ☐ Next action agreed
- ☐ Completed and checked

Next action and completion evidence

Limitations and what needs setup

- Submitting the form records the answers in your workspace. It does not approve, schedule, charge or reply on its own unless you add that step to the workflow.
- Email notifications, approval routing, document generation and connections to other systems are available but not switched on until you configure them.

Want help tailoring this form? Free, Starter and Pro include five personal setup sessions, up to 30 minutes each, per new organization.

Klarstig / Daniel Petry · klarstig.ai · hello@klarstig.ai · support@klarstig.ai · 800-781-1775 · 11917 Laurel Ave., Forestville, CA 95436, USA