

Walking Tour Operator - Signage Correction Brief

Specify a sign that needs correction and the wording or placement to be reviewed. Setting: Walking Tour Operator.

Contact and reference

Name or team reference *

Reply email, if needed

Date of record *

Signage Correction Brief

Sign location and current wording *

Incorrect or missing information *

Proposed wording and placement *

Languages, readability or viewing-distance needs

Walking Tour Operator

Tour route and departure reference *

Guide pack, stop location or group marker involved *

Walking pace, route diversion or meeting-point visibility

Ownership and follow-up

Team or role responsible for the next action

Target follow-up date

Current state of this record *

- ☐ Open for review
- ☐ Waiting for information
- ☐ Next action agreed
- ☐ Completed and checked

Next action and completion evidence

Limitations and what needs setup

- Submitting the form records the answers in your workspace. It does not approve, schedule, charge or reply on its own unless you add that step to the workflow.
- Email notifications, approval routing, document generation and connections to other systems are available but not switched on until you configure them.

Want this form tailored to your organization? Klarstig's professional services are included at no additional service charge.

Klarstig / Daniel Petry · klarstig.ai · hello@klarstig.ai · support@klarstig.ai · 800-781-1775 · 11917 Laurel Ave., Forestville, CA 95436, USA